

Aufhängering 3+4 Strang



Aufhängering 3+4 Strang

- EN1677
- Güteklasse 8
- Nutzlasten 3,15 – 63 tonnen

Spezifikationen

Typ	Tragfähigkeit ton	Gewicht kg	Preis CHF
YE-8-080-07	3,15	1,3	62
YE-8-080-08	4,25	2,2	95
YE-8-080-10	6,70	3,4	132
YE-8-080-13	11,20	6,1	221
YE-8-080-16	17,00	10,0	240
YE-8-080-20	26,50	22,6	725
YE-8-080-22	31,50	25,2	867
YE-8-080-26	45,00	34,6	1399
YE-8-080-32	63,00	66,5	2586

Masszeichnungen / Abmessungen / Anleitungen

Typ	Abmessung A	Abmessung B	Abmessung C	Abmessung a	Abmessung b	Abmessung c
YE-8-080-07	135	75	18	60	38	13
YE-8-080-08	160	90	22	70	34	16
YE-8-080-10	180	100	26	85	40	18
YE-8-080-13	200	110	32	115	50	22
YE-8-080-16	260	140	36	140	65	26
YE-8-080-20	350	190	50	180	100	32
YE-8-080-22	350	190	50	180	100	36
YE-8-080-26	400	200	56	180	100	40
YE-8-080-32	460	250	72	200	110	50

YE-8-080

